


# MCCANN RENTS



# Rental Guide





## Table of Contents

Construction Equipment	3 – 5
Compaction Equipment	6
Light Equipment	6 – 10
Demolition Equipment	10
Concrete Equipment	11
Rental Guidelines	11

# Rental Equipment from McCann

- Clean, well maintained equipment
- Recent models
- Delivered to your jobsite
- Wide selection

When you need extra machines, McCann will deliver clean, well maintained rental equipment right to your jobsite.

### Rent anything from concrete forms to construction equipment

At McCann we can help you match the right rental equipment to your specific project. Our equipment is low hour, well maintained, reliable and works the first time, every time. Our rental fleet contains brand names that you can depend on for consistent performance—CASE, Takeuchi, Sullair, Husqvarna, Wacker, Honda, plus many more.

### Clean, well maintained equipment

We take care of our rental equipment, so it's in top condition for you any time you need extra help on a job. Equipment inspections are conducted regularly, and maintenance is performed at intervals recommended by the equipment manufacturer. Repairs are always completed promptly, so you'll never be inconvenienced by unexpected downtime when you rent from McCann.



### Recent models

Our equipment fleet is routinely updated. We rotate out older models, sell them in our used equipment fleet, and replace them with new equipment. Renting from McCann is the perfect opportunity to try out a model you're thinking of purchasing. Ask about our convenient rent to own options.

### Delivered to your jobsite

We can deliver any equipment you need right to your jobsite, along with your supplies. Or, if you'd rather, you can pick up your equipment at any of McCann's convenient locations.

**You can depend on McCann for anything you need to help you complete your jobs on time.**



# CONSTRUCTION EQUIPMENT

## Skid Steer Loaders



Model	Net HP	Operating Load	Weight
CASE 1825B	27 HP	885 lb	3,100 lb
CASE SR130	49 HP	1,300 lb	4,770 lb
CASE SR160	60 HP	1,600 lb	5,645 lb
CASE SR175	67 HP	1,750 lb	6,270 lb
CASE SV185	60 HP	1,850 lb	6,570 lb
CASE SR210	74 HP	2,100 lb	6,970 lb
CASE SR240	74 HP	2,400 lb	7,400 lb
CASE SR270 HF	90 HP	2,700 lb	8,117 lb
CASE SV280	74 HP	2,800 lb	8,000 lb
CASE SV340	90 HP	3,400 lb	9,100 lb

High Flow Hydraulic units available  
 SR = Radial Lift  
 SV = Vertical Lift  
 Smooth or Tooth Buckets available

## Compact Track Loaders



Model	Net HP	Operating Load	Weight
Takeuchi TL8	67 HP	2,100 lb	8,345 lb
Takeuchi TL10	91 HP	2,403 lb	10,318 lb
Takeuchi TL12	108 HP	2,833 lb	11,618 lb
CASE TR270	74 HP	2,700 lb	8,270 lb
CASE TR310	74 HP	3,100 lb	8,800 lb
CASE TR340	90 HP	3,400 lb	10,000 lb
CASE TV370	74 HP	3,700 lb	9,630 lb
CASE TV450	90 HP	4,500 lb	10,610 lb

TR = Radial Lift  
 TV = Vertical Lift  
 Smooth or Tooth Buckets available

## Skid Steer Loader Attachments



### Description

- FRD/Kent Hydraulic Breaker FX45 (500 ft lb)
- FRD/Kent Hydraulic Breaker KF6 (1,000 ft lb)
- Hydraulic Post Hole Auger Drive
  - Auger bits sizes: 9", 12", 18", 24", 36"
  - Auger extensions sizes: 14", 24"
- 24" Hi-Flow Hydraulic Cold Planer
- 40" Hi-Flow Hydraulic Cold Planer
- 72" Harley Box Rake
- 76" Preparator
- 73" Grapple Bucket
- 1/2 yd Hydraulic Concrete Bucket
- 3/4 yd Hydraulic Concrete Bucket
- Pallet Fork
- 72" Pick-Up Broom"
- 84" Angle Broom"
- Trencher (6" & 8" Cut)

"Bits additional charge  
 "Bristle wear charged at \$125 per inch





# CONSTRUCTION EQUIPMENT

## Excavators



**TAKEUCHI**

**CASE**  
CONSTRUCTION

Model	Net HP	Weight
<b>Standard Excavators</b>		
CASE CX130D	102 HP	29,100 lb
CASE CX160D	112 HP	38,400 lb
CASE CX210D	160 HP	48,900 lb
CASE CX250D	177 HP	56,900 lb
CASE CX300D	207 HP	67,200 lb
CASE CX350D	268 HP	82,400 lb
CASE CX490D	362 HP	109,300 lb

<b>Minimum Swing Excavators</b>		
CASE CX145D MSR	102 HP	32,100 lb
CASE CX245D MSR	160 HP	56,900 lb

Model	Dig Depth	Arm Length	Net HP	Weight
<b>Long Reach Excavator</b>				
CASE CX250C/D LR 60' Ditching Bkt	47' 9"	26' 3"	177 HP	62,100 lb

## Excavators with Hammer



**TAKEUCHI**

**CASE**  
CONSTRUCTION

Description	Net HP	Weight
<b>Mini Excavators</b>		
Takeuchi TB235 with 500 ft lb Hammer	28.8 HP	7,650 lb
Takeuchi TB260 with 500 ft lb Hammer	47.6 HP	12,180 lb
CASE CX80C with 1,000 ft lb Hammer	54 HP	18,938 lb
<b>Standard Excavators</b>		
CASE CX160D with 3,000 ft lb Hammer	120 HP	37,700 lb
CASE CX210D with 3,000 ft lb Hammer	160 HP	47,800 lb

## Mini Excavators



**TAKEUCHI**

**CASE**  
CONSTRUCTION

Model	Dig Depth	Net HP	Weight
CASE CX17B	7' 1"	15.15 HP	3,638 lb
CASE CX27B	8' 4"	21.3 HP	5,556 lb
CASE CX31B	9' 3"	23.1 HP	7,672 lb
CASE CX37C	11'	23.1 HP	8,554 lb
CASE CX60	12' 10"	37.4 HP	11,312 lb
CASE CX75	13' 7"	55.2 HP	16,200 lb
CASE CX80	13' 9"	55.2 HP	18,800 lb
Takeuchi TB210	5' 9"	11.7 HP	2,370 lb
Takeuchi TB216	7' 10"	15 HP	3,902 lb
Takeuchi TB216H	7' 10"	15 HP (Hybrid)	4,300 lb
Takeuchi TB230	9' 3"	24.4 HP	6,360 lb
Takeuchi TB235	11'	28.8 HP	7,500 lb
Takeuchi TB240	11' 4"	35.8 HP	8,570 lb
Takeuchi TB250	12'	38 HP	11,300 lb
Takeuchi TB260	12' 9"	47.6 HP	12,180 lb
Takeuchi TB290	15'	69.2 HP	18,630 lb



# CONSTRUCTION EQUIPMENT

## Excavator Attachments



### Description

CX130-CX210 Excavator bucket sizes (24", 36", 42" 48")  
 CX350 Excavator bucket sizes (30", 36", 42", 48" 54", 66")  
 Plate Compactor for CX130, CX160, CX210 Excavator  
 FRD KF12 2,000ft/lb Hammer (CX130 Excavator)  
 FRD KF175QT 3,000ft/lb Hammer (CX160/CX210 Excavator)  
 FRD FX45/FX55 500 ft/lb Hammer Mini Exc 6500#-12,500#  
 FRD FX25 275 ft/lb Hammer Mini Exc 3,500#  
 FRD KF6 1000ft/lb Hammer Mini Exc 18,500#  
 FRD HP65 24" Vib Plate 18,500# Mini Exc  
 FRD HP35 Vib Plate 6,500#-12,500# Mini Exc

## Wheel Loaders



Model	Capacity	Net HP	Weight
CASE 21F	1 yd <sup>3</sup>	55 HP	10,913 lb
CASE 121F	1.4 yd <sup>3</sup>	60 HP	10,849 lb
CASE 221F	1.5 yd <sup>3</sup>	70 HP	12,547 lb
CASE 321F	1.7 yd <sup>3</sup>	70 HP	13,303 lb
CASE 521G	2.6 yd <sup>3</sup>	131 HP	22,855 lb
CASE 621G	2.7 yd <sup>3</sup>	162 HP	27,695 lb
CASE 721G	3.5 yd <sup>3</sup>	179 HP	31,510 lb
CASE 821G	4.4 yd <sup>3</sup>	205 HP	38,847 lb
CASE 921G	4.7 yd <sup>3</sup>	225 HP	43,777 lb
CASE 1021G	4.75 yd <sup>3</sup>	296 HP	53,791 lb
CASE 1121G	6.25 yd <sup>3</sup>	320 HP	59,578 lb
Takeuchi TW40	0.66 yd <sup>3</sup>	39.4 HP	7,275 lb
Takeuchi TW65	1.05 yd <sup>3</sup>	73 HP	11,354 lb
Takeuchi TW80	1.3 yd <sup>3</sup>	73 HP	12,700 lb

## Loader Backhoes



Model	Dig Depth	Net HP	Weight
CASE 580SN—4WD Ext-Hoe	18' 6"	92 HP	16,239 lb
CASE 590SN—4WD Ext-Hoe	20'	108 HP	20,458 lb

## Loader Backhoe Attachments



### Description

Extra Backhoe Bucket – 12", 18", 24", 36"  
 FRD/Kent F9 – 1,200 ft lb Hammer  
 Forks

## Crawler Dozers



Model	Net HP	Weight
CASE 650M	80.5 HP	17,550 lb
CASE 750M	92 HP	20,140 lb
CASE 850M	112 HP	21,560 lb
CASE 1150M	127 HP	31,134 lb



# COMPACTION EQUIPMENT

## Vibratory Rollers



Model	Weight	Drum Description
Wacker RD12A	2,498 lb	35" Smooth Double Drum
CASE DV23	4,950 lb	39.5" Smooth Double Drum
CASE DV26	5,423 lb	47" Smooth Double Drum
CASE DV36	8,245 lb	51" Smooth Double Drum
CASE SV208	15,741 lb	66" Smooth Single Drum
CASE SV208PD	15,741 lb	66" Padfoot Single Drum
CASE SV212	25,386 lb	87" Smooth Single Drum
CASE SV216PD	25,386 lb	87" Padfoot Single Drum

All Vibratory Rollers Open ROPS



**WACKER NEUSON**  
all it takes!

**CASE**  
CONSTRUCTION

## Light Compaction



Model	Weight	Description
<b>Trench Rollers</b>		
Wacker RT 82-SC2	3,300 lb	32" Padfoot, remote control
<b>Rammers</b>		
Wacker BS 60-2i	145 lb	11" x 13" Shoe
<b>Plate Compactors</b>		
Wacker WP 1550AW	190 lb	19.5" Plate with water tank
Wacker WP 1540A	185 lb	15.5" Plate
Wacker WP 1550A	190 lb	19.5" Plate
<b>Gas Reversible Vibroplates</b>		
Wacker BPU 3050A	366 lb	19.7" Plate
Wacker Diesel DPU5545	886 lb	23.5" Plate
Wacker Diesel DP6555HE	988 lb	28" Plate



**WACKER NEUSON**  
all it takes!

# LIGHT EQUIPMENT

## Portable Air Compressors & Tools



Description
Sullair 185 CFM Diesel Portable Air Compressor
Sullair 375 CFM Diesel Portable Air Compressor
Sullair 15 lb Chipping Hammer
Sullair 30 lb Paving Breaker or Clay Digger
Sullair 35 lb Paving Breaker
Sullair 60 lb Paving Breaker
Sullair 90 lb Paving Breaker
Sullair Utility Air Drill (MRD9)
Multicoupler (Manifold)

**SULLAIR**  
Always air. Always there.

## Material Handling



Description
6 ft³ Wheelbarrow
Sterling Georgia Buggy
Gar-Bro 1 yd³ Concrete Bucket w/ Chute
Gar-Bro 2 yd³ Concrete Bucket w/ Chute
20' Electric Utility Conveyor





# LIGHT EQUIPMENT



## Sandblasting



### Description

- Schmidt 300 lb Sandblast Package\*
- Schmidt 600 lb Sandblast Package\*
- 50' Sandblast Hose (if more needed)

\*Sandblast Package includes air fed hood, filter & 25' hose

## Floor Grinders, Scabblers, & Scarifiers



### Description

- Husqvarna PG820 Floor Grinder (480V 3 phase version)
- Husqvarna PG450 Floor Grinder (110V 20 amp version)
- Husqvarna PG400 Gas Floor Grinder
- Husqvarna PG280 Floor Grinder (110V 20 amp version)
- Husqvarna S26 Dust Extractor (120V 258 CFM)
- DC5500 Vacuum (480V 3 phase. 350 CFM, available only with PG820)
- DC3000 Vacuum (120V 350 CFM, use with PG280 & PG450)
- Edco 8" Electric (220V) Scarifier
- Edco 8" Gas Scarifier
- Edco 8" Steel Cage
- Edco 8" Carbide Cage
- 220V Extension Cord
- Macdonald U3 Floor Scabblers

## Husqvarna® Diamonds Available for Sale

### APPLICATION GUIDE—REMOVAL

Material	PCD	1400 SERIES					600 SERIES		
		G1410	G1420	G1440	G1470	G1480	G620	G640	G670
Porous Ceramic Glues	●	—	—	—	●	●	—	—	●
Plastic-like Ceramic Glues	●	—	○	●	—	—	○	●	—
Vinyl Glues*	—	○	●	●	○	○	●	●	○
Paint & Thin Epoxy (<2 mm)	—	○	●	●	○	●	●	●	○
Thick Epoxy (15 – 40 mm)	●	○	○	●	○	—	○	●	○

### APPLICATION GUIDE—GRINDING

Material	PCD	1400 SERIES					600 SERIES		
		G1410	G1420	G1440	G1470	G1480	G620	G640	G670
Rain-Damaged Concrete	○	—	—	—	●	●	—	○	●
Concrete, Soft	○	—	—	—	●	●	—	●	●
Concrete, Medium Hard	—	—	○	●	—	—	—	●	○
Concrete, Hard	—	●	●	○	○	—	●	○	—
Semi-polished Concrete	—	●	○	—	—	—	○	—	—

### HARDNESS SCALE



● = Optimal   ● = Good   ○ = Acceptable   — = Not recommended

\*The advised tooling for this application depends on the type of concrete under the material being removed. Husqvarna recommends starting with a harder bond (G1470), and moving to a softer bond if productivity is not satisfactory.



# LIGHT EQUIPMENT

## Pneumatic Slab Edge Concrete Drilling Equipment

E-Z DRILL



### Model

EZ Drill 110B On-Grade Single  
EZ Drill 210B-2 SRA Slab Rider

### Description

5/8" – 2" hole up to 36" deep. Fits in 36" space  
2 drills, 5/8" – 2 1/2" hole, 18" deep. Fits in 4' space

### Other Items Available

Air Hose 3/4" – 2"  
Drill bits

## Earth Auger Equipment



### Description

2 Man Earth Auger Head  
8" Auger Bit  
12" Auger Bit  
Extensions also available 12", 24", 36"

## Fans



### Description

30" Pedestal Fan  
36" Industrial Fan

## Mixers



### Description

6 ft<sup>3</sup> Concrete Mixer  
9 ft<sup>3</sup> Concrete Mixer  
1 Bag Electric Concrete Mixer  
2 Bag Mortar Mixer  
3 Bag Mortar Mixer

## Concrete Placing Equipment



### Description

16 ft<sup>3</sup> Ride-On Power Buggy  
16 ft<sup>3</sup> Ride-On Buggy w/Tracks  
Terex / PT200 2WD 1 yd Dumper  
Mecalac TA2SH 4WD 1.3 yd Swivel Dumper  
Mecalac TA3H 4WD 2 yd Dumper  
Crete-Rod 1yd Dumper  
110V Concrete Vibrator (Head & Shaft additional cost)  
110V Concrete Vibrator w/Head & Shaft  
Backpack Vibrator w/Head & Shaft



## Portable Lighting



### Description

Terex 4,000 W Towable Light Tower  
w/ 6 kW Genset  
Bulldog 2 Light Tripod Light

## Pressure Washers



### Description

2500 PSI Cold Water—Gas Operated



# LIGHT EQUIPMENT

## Concrete & Masonry Saws



### Description

Husqvarna Soff-Cut 150	4.3 HP	87 lb	6"	1.18"
Husqvarna Soff-Cut 2500	11 HP	347 lb	10"	1.5"
Husqvarna Soff-Cut 4000	20 HP	420 lb	13.5"	3"
Husqvarna Soff-Cut 4200	23 HP	488 lb	13.5"	3"
14" Cut-off Gas/Elec Saw	5 HP	21.6 lb	14"	5"
Husqvarna Walksaw	13 HP	424 lb	20"	7.5"
Husqvarna Self-Propelled Gas Saw	26 HP	325 lb	26"	10.5"
Husqvarna Self-Propelled Diesel Saw	70 HP	1,892 lb	36"	10.5"
Husqvarna Electric Tile Saw	1.5 HP	109 lb	10"	2.75"
Husqvarna Gas Masonry Saw	5.5 HP	332 lb	14"	5"
Husqvarna K760 Cut-n-Break Gas/Electric Saw	5 HP	23.3 lb	9"	16"
9" Cut-n-Break Blade (Set of 2)	—	—	—	—
Husqvarna K3000 Wet Electric Handheld Saw	—	17.4 lb	14"	5"
Husqvarna Coring Machine w/Vacuum Pad	—	51 lb	10"	—
Hydraulic Concrete Chainsaw	11.5 HP	31 lb	20"	20"
20" Diamond Chain - concrete or ductile	—	—	—	—
Multi-Flow Hydraulic Power Pack	—	—	—	—
Flow Valve Adaptor Kit	—	—	—	—
25' Hydraulic Hose Set	—	—	—	—

Net HP	Blade Weight	Max Cap.	Depth
4.3 HP	87 lb	6"	1.18"
11 HP	347 lb	10"	1.5"
20 HP	420 lb	13.5"	3"
23 HP	488 lb	13.5"	3"
5 HP	21.6 lb	14"	5"
13 HP	424 lb	20"	7.5"
26 HP	325 lb	26"	10.5"
70 HP	1,892 lb	36"	10.5"
1.5 HP	109 lb	10"	2.75"
5.5 HP	332 lb	14"	5"
5 HP	23.3 lb	9"	16"
—	—	—	—
—	17.4 lb	14"	5"
—	51 lb	10"	—
11.5 HP	31 lb	20"	20"
—	—	—	—
—	—	—	—
—	—	—	—
—	—	—	—

## Pumps & Accessories



### Description

Wacker 2" Trash Pump
Wacker 3" Trash Pump
2" Electric Submersible 1 HP Pump
2" x 20' Suction Hose w/Strainer
2" x 50' Discharge Hose
3" x 20' Suction Hose w/Strainer
3" x 50' Discharge Hose

## Portable Generators



### Description

Honda 3,000 Watt
Honda 4,000 Watt
Honda 5,000 Watt
Honda 6,500 Watt

## Trash Chutes



### Description

30" Diameter, 4' Section
30" Diameter Top Hopper, 4' Section
30" Diameter Door Section, 4' Section

## Portable Heaters



### Description

110,000 BTU Fuel Oil Heater
150,000 BTU Fuel Oil Heater
350,000 BTU Fuel Oil Heater
600,000 BTU Fuel Oil Heater
250,000 BTU Propane Heater

# LIGHT EQUIPMENT

## Electric Power Tools



### Description

- 1/2" Hammer Drill
- 7/8" Rotary Hammer
- 1 – 1/2" Rotary Hammer
- SDS-Max Demo Hammer
- Electric 60 lb Breaker
- 2" Rotary Hammer
- 9" Right Angle Grinder
- Mini-Grinder
- Porter Cable H.D. 1/2" Mixing Drill
- 110V Extension Cord

## Leveling / Surveying Equipment



### Description

- Rotating Laser Level w/ Sensor
- Tripod w/ Extension Legs
- 14' 1/8" Story Pole
- 14' 1/16" Story Pole

# DEMOLITION EQUIPMENT

## Demolition Robots



### Description

- Husqvarna DXR140 Demolition Robot
- Husqvarna DCR100 Crusher for DXR140
- Husqvarna MG100 Grapple for DXR140
- Husqvarna SB152 Hydraulic Breaker for DXR140
- 12" Narrow Ditching Bucket
- 20" Standard Tooth Bucket
- 30" Ditching Bucket



# CONCRETE EQUIPMENT

## Concrete Forming Equipment



### Description

Jahn "A" Bracket  
 Jahn "C" Bracket  
 Hair Pins  
 1/4" Rod Clamp (Cat Head)  
 18" Adjustable Curb Clamp  
 Jahn Scaffold Jacks (A-89)

Scaffold Bracket (A-90)  
 C-49 Bridge Overhang Brackets  
 Turnbuckles  
 Column Clamps—\$20/mo  
 Symons Steel-Ply Forms - 4', 6', 8', 9'

Call Addison Location For Pricing,  
 Availability & Other Sizes  
 (630) 627-0000

## Concrete Stamping Equipment



### Description

Butterfield Color Concrete Stamp Sets

*Orchard Stone, Fieldstone, Cobblestone,  
 Ashlar Slate, Majestic Ashlar, & More!*

Call or stop in to see samples & selection available  
 McCann offers Butterfield Color Release & Sealer for your stamping work!

## Concrete Finishing Equipment



### Description

Wet Screed Power Unit Only  
 8' Wet Screed Bar  
 12' Wet Screed Bar  
 16' Wet Screed Bar Single / Dual Mount  
 Morrison Truss Screed 10' Base Section 9 HP Engine  
 Morrison Truss Screed 10' Sub-Section  
 Morrison Truss Screed 5' Sub-Section  
 Morrison Truss Screed 2 1/2' Sub-Section  
 Morrison Truss Screed End Handle & Winch Set  
 Hydraulic Winch Set for Truss Screed  
 36" 4-Blade Power Trowel  
 48" 4-Blade Power Trowel  
 Float Blades—Set of 4  
 Allen MP215 (72" Path) Riding Trowel  
 Husqvarna CRT37V (96" Path) Mechanical Riding Trowel  
 Allen MP315 Pro Series (96" Path) Riding Trowel  
 Husqvarna CRT48 (96" Path) Hydraulic Riding Trowel  
 Lifting Bridle for Riding Trowels  
 Dolly Jack Sets—Trowel Transporter  
 Float Pans For Riding Trowels—Set of 2  
 6' x 25' Insulated Concrete Blanket (1 – 19) Each  
 6' x 25' Insulated Concrete Blanket (20 – 99) Each  
 6' x 25' Insulated Concrete Blanket (100+) Each



## Rental Guidelines

- A McCann Industries Rental Agreement must be signed, and an account must be established prior to pick up or delivery.
- Rates are based on the length of the rental period, with an 8 hour day, 40 hour week, and 160 hour 4-week period. Additional hours will be billed at overtime rates. Rates and equipment are subject to change without notice. Local and state taxes may apply.
- Rental machines must be returned with a full tank of fuel, or additional fuel charges will apply.
- Lessee is responsible for daily maintenance, excessive or unusual wear and tear, and any tire or track repairs.
- Physical damage and liability insurance is required from the lessee for the equipment to protect against damage, theft or vandalism. A certificate of insurance is required prior to rental.
- Lessee will return equipment in a reasonably clean condition. Lessee will be billed for excessive clean up at posted shop rates.
- Delivery is additional to the rental rate and is quoted FOB McCann Industries. State and local permit costs are additional when required.



McCannOnline.com

**Illinois**

**Addison\***

543 S. Rohwing Rd.  
Addison, IL 60101  
Phone: (630) 627-0000  
Fax: (630) 627-8711

**Crestwood**

4701 West 137th St.  
Crestwood, IL 60445  
Phone: (708) 597-3110  
Fax: (708) 597-9945

**Chicago**

2350 S. Laflin St.  
Chicago, IL 60608  
Phone: (312) 942-9200  
Fax: (312) 421-3502

**Bolingbrook\***

250 E. North Frontage Rd.  
Bolingbrook, IL 60440  
Phone: (630) 739-7770  
Fax: (630) 739-7699

**McHenry\***

4102 W. Crystal Lake Rd.  
McHenry, IL 60050  
Phone: (815) 385-0420  
Fax: (815) 385-2975

**Wauconda\***

1360 N. Rand Rd.  
Wauconda, IL 60084  
Phone: (847) 526-9444  
Fax: (847) 526-9448

**Indiana**

**Schererville\***

1133 Indianapolis Blvd.  
Schererville, IN 46375  
Phone: (219) 865-6545  
Fax: (219) 865-0269

**Mishawaka\***

14077 Esther Ave.  
Mishawaka, IN 46545  
Phone: (574) 406-6800  
Fax: (574) 404-9800

**Merrillville**

8900 Louisiana St.  
Merrillville, IN 46410  
Phone: (219) 576-7800

**Michigan**

**Marne\***

1064 Franklin St.  
Marne, MI 49435  
Phone: (616) 371-7250  
Fax: (616) 371-7248

\*CASE authorized dealer location

\*CASE authorized parts location

**Call us today!**  
**630-627-0000**

**Services**

- 24-hour emergency service
- A/C recharging
- Preventative maintenance packages
- CNH revolving account for parts, services, rental and accessory purchases
- Concrete form rental
- Delivery
- Equipment rental
- Extended warranties
- Financial services—All makes and equipment lines
- GPS equipment services

- Hydraulic concrete vibrator rebuilds and repairs
- Insurance services—Physical damage coverage
- Machine maintenance inspections
- Oil and wear analysis
- Online parts catalog
- On-site field service
- On-site filter programs
- Parts support with a multimillion dollar inventory
- Rebar estimating, detailing and fabrication
- Training—Safety, operating and maintenance

**Equipment**

- Asphalt paving equipment
- Compaction equipment
- Concrete cutting and drilling equipment
- Concrete handling, placing and finishing equipment
- Dozers
- Electric tools and accessories
- Excavators
- Floor grinding and polishing equipment
- Hand tools
- Leveling/surveying equipment
- Loaders
- Loader attachments
- Material handling equipment
- Mixers
- Motor graders
- Personal and safety equipment
- Portable air compressors and tools
- Portable lighting
- Pumps and generators
- Skid steer loaders and attachments

**Contractor Supplies**

- Concrete forms and accessories
- Rebar and wire mesh
- Paving, curb & gutter and bridge products
- Decorative concrete products
- Concrete and masonry repair materials
- Epoxies and concrete treatments
- Sealants, caulking and firestopping systems
- Floor and deck coatings
- Architectural coatings
- Waterproofing and damp proofing materials
- Vapor barriers
- Fasteners and anchors
- Concrete and masonry cleaners
- Erosion control and drainage products
- Concrete placing and finishing tools
- Personal safety products
- Jobsite supplies

